

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : WHITECHEM PRIMER S80-B
Type of product : Coating
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AKDE KİMYA END. SAN. ve TİC. LTD. ŞTİ.
Yeşilbayır mahallesi Şimşir sokak No:20
34555 İSTANBUL - TURKEY
T +90 2127710622 - F +90 2127710624
info@akde.net - www.akde.net / www.whitechem.com.tr

1.4. Emergency telephone number

Emergency number : +90 2127711371 (9:00 am - 17:00 pm GMT+2)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302	Calculation method
Acute toxicity (dermal), Category 4	H312	Calculation method
Acute toxicity (inhalation:vapour) Category 4	H332	Calculation method
Skin corrosion/irritation, Category 1B	H314	Calculation method
Sensitisation — Skin, Category 1	H317	Calculation method
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	Calculation method

Full text of hazard classes and H-statements : see section 16


Adverse physicochemical, human health and environmental effects

Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Hazardous ingredients : 3-aminomethyl-3,5,5-trimethylcyclohexylamine; benzyl alcohol; 1,3-Benzenedimethanamine; Benzoic acid, 2-hydroxy-

Hazard statements (CLP) : H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

Precautionary statements (CLP)

H412 - Harmful to aquatic life with long lasting effects
 : P102 - Keep out of reach of children
 P260 - Do not breathe fume, gas, mist, vapours
 P280 - Wear eye protection, face protection, protective clothing, protective gloves
 P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P312 - Call a POISON CENTER if you feel unwell
 P405 - Store locked up
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Security closing plug for children

: Applicable

Tactile warning

: Applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS No) 2855-13-2 (EC no) 220-666-8 (EC index no) 612-067-00-9 (REACH-no) 01-2119514687-32	25 - 50	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
benzyl alcohol	(CAS No) 100-51-6 (EC no) 202-859-9 (EC index no) 603-057-00-5 (REACH-no) 01-2119492630-38	25 - 50	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302
1,3-Benzenedimethanamine	(CAS No) 1477-55-0 (REACH-no) 01-2119480150-50	< 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Benzoic acid, 2-hydroxy-	(CAS No) 69-72-7 (EC no) 200-712-3 (REACH-no) 01-2119486984-17	< 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.
 First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
 First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
 First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
 First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Burns. May cause an allergic skin reaction.
 Symptoms/injuries after eye contact : Serious damage to eyes.
 Symptoms/injuries after ingestion : Burns.

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

WHITECHEM PRIMER S80-B		
Bulgaria	Local name	Бензилналкохол
Bulgaria	OEL TWA (mg/m ³)	5 mg/m ³
Czech Republic	Local name	Benzylalkohol
Czech Republic	Expoziční limity (PEL) (mg/m ³)	40 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	9 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	80 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (ppm)	18.1 ppm
Finland	Local name	Bentsyylialkoholi
Finland	HTP-arvo (8h) (mg/m ³)	45 mg/m ³
Finland	HTP-arvo (8h) (ppm)	10 ppm
Latvia	Local name	Benzilspirts (fenilmetanols, fenilkarbinols)
Latvia	OEL TWA (mg/m ³)	5 mg/m ³

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

Lithuania	Local name	Benzilo alkoholis
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Poland	Local name	Fenylometanol
Poland	NDS (mg/m ³)	240 mg/m ³

1,3-Benzenedimethanamine (1477-55-0)		
Japan	Exposure limits (ACGIH)	TWA -, STEL C 0.1 mg/m ³ (Skin)

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless liquid.
Colour	: Colourless.
Odour	: Amine-like.
Odour threshold	: No data available
pH	: 8 - 11
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: < 200 °C
Flash point	: 110 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: < 5 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.05 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 300 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content	: 407 g/l
-------------	-----------

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:vapour: Harmful if inhaled.

ATE CLP (oral)	500.000 mg/kg bodyweight
ATE CLP (dermal)	1981.982 mg/kg bodyweight
ATE CLP (vapours)	18.333 mg/l/4h

1,3-Benzenedimethanamine (1477-55-0)

LD50 oral	660 mg/kg
LD50 dermal	2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	0.8 mg/l/4h

Benzoic acid, 2-hydroxy- (69-72-7)

LD50 oral	891 mg/kg
-----------	-----------

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 8 - 11

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 8 - 11

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

WHITECHEM PRIMER S80-B

Viscosity, kinematic	285.71428571 mm ² /s
----------------------	---------------------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

1,3-Benzenedimethanamine (1477-55-0)

LC50 fish 1	75 mg/l
EC50 Daphnia 1	15 mg/l
NOEC chronic crustacea	4.7 mg/l

Benzoic acid, 2-hydroxy- (69-72-7)

LC50 fish 1	100 mg/l
ErC50 (algae)	65 mg/l
NOEC chronic algae	31 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2735
 UN-No. (IMDG) : 2735
 UN-No. (IATA) : 2735
 UN-No. (ADN) : 2735
 UN-No. (RID) : 2735

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S.
 Proper Shipping Name (IMDG) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
 Proper Shipping Name (IATA) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
 Proper Shipping Name (ADN) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
 Proper Shipping Name (RID) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
 Transport document description (ADR) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III, (E)
 Transport document description (IMDG) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III
 Transport document description (IATA) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III
 Transport document description (ADN) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III
 Transport document description (RID) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
 Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
 Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
 Hazard labels (IATA) : 8

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830


Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

Orange plates



Tunnel restriction code (ADR)

: E

EAC code

: 2X

APP code

: B

- Transport by sea

Special provisions (IMDG)

: 223, 274

Limited quantities (IMDG)

: 5 L

Excepted quantities (IMDG)

: E1

Packing instructions (IMDG)

: P001, LP01

IBC packing instructions (IMDG)

: IBC03

Tank instructions (IMDG)

: T7

Tank special provisions (IMDG)

: TP1, TP28

EmS-No. (Fire)

: F-A

EmS-No. (Spillage)

: S-B

Stowage category (IMDG)

: A

Segregation (IMDG)

: SG35

Properties and observations (IMDG)

: Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

MFAG-No

: 153

- Air transport

PCA Excepted quantities (IATA)

: E1

PCA Limited quantities (IATA)

: Y841

PCA limited quantity max net quantity (IATA)

: 1L

PCA packing instructions (IATA)

: 852

PCA max net quantity (IATA)

: 5L

CAO packing instructions (IATA)

: 856

CAO max net quantity (IATA)

: 60L

Special provisions (IATA)

: A3

ERG code (IATA)

: 8L

- Inland waterway transport

Classification code (ADN)

: C7

Special provisions (ADN)

: 274

Limited quantities (ADN)

: 5 L

Excepted quantities (ADN)

: E1

Carriage permitted (ADN)

: T

Equipment required (ADN)

: PP, EP

Number of blue cones/lights (ADN)

: 0

- Rail transport

Classification code (RID)

: C7

Special provisions (RID)

: 274

Limited quantities (RID)

: 5L

Excepted quantities (RID)

: E1

Packing instructions (RID)

: P001, IBC03, LP01, R001

Mixed packing provisions (RID)

: MP19

Portable tank and bulk container instructions (RID)

: T7

Portable tank and bulk container special provisions (RID)

: TP1, TP28

Tank codes for RID tanks (RID)

: L4BN

WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

VOC content : 407 g/l

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, Category 1
Skin Sens. 1B	Sensitisation — Skin, category 1B
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H412	Harmful to aquatic life with long lasting effects



WHITECHEM PRIMER S80-B

Safety Data Sheet

According to Regulation (EU) 2015/830

Date of issue: 19.06.2017

Revision date:

Supersedes:

Version: 00

SDS EU WHITECHEM

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product